

Attorney Docket No. JP-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

: Joseph P. Pinkerton

Patent No.

6,593,666

SEP 1 2 2003

Issue Date

July 15, 2003

of Correction

Application No.

: 09/885,367 Confirmation No. :

4177

Filed

: June 20, 2001

For

: ENERGY CONVERSION SYSTEMS USING NANOMETER SCALE

ASSEMBLIES AND METHODS FOR USING SAME

Group Art Unit

2834

New York, New York 10020 September 8, 2003

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

## EXPRESS MAIL CERTIFICATION

Sir:

"Express Mail" mailing label number EV242445045US

Date of Deposit September 8, 2003

I hereby certify that the papers and fees identified below are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to the Honorable Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Postcard

Request For Certification of Correction Under C.F.R. § 1.323 (in duplicate)

PTO Form 1050 (in duplicate)

Check for \$100.00

Claire J. Sainti-van Cocdman

SEP 1 5 2003

JP/001

UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant Joseph F. Pinkerton

Patent No. : 6,593,666

Issue Date July 15, 2003 :

Application No. : 09/885,367

Confirmation No. : 4177

Filed : June 20, 2001

ENERGY CONVERSION SYSTEMS USING For

NANOMETER SCALE ASSEMBLIES AND

METHODS FOR USING SAME

Group Art Unit : 2834

Hon. Commissioner for Patents New York, NY 10020 September 8, 2003

P.O. Box 1450

Alexandria, VA 22313-1450

## REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Sir:

Enclosed are two sheets (in duplicate) of Form PTO-1050 listing errors that have been found in the aboveidentified patent. Patentee and his assignee (Ambient Systems, Inc.) respectfully request that the Patent and Trademark Office issue a Certificate of Correction.

Some of these errors are believed to be the responsibility of patentee, others are printing errors. None of these corrections constitute new matter nor requires reexamination.

In accordance with the Examiner's Amendment of February 11, 2003, the Certificate of Correction adds "nanometer" before "assemblies" in claim 71, line 5.

A check in the amount of \$100.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a), is enclosed herewith. The Director is hereby authorized to charge any additional fee due, or to credit any overpayment to Deposit Account No. 06-1075. A duplicate copy of this Request is enclosed herewith.

Respectfully submit#ed,

deffrey D. Mallen

Registration No. 52,056

Agent for Applicant

FISH & NEAVE

Customer No. 1473

1251 Avenue of the Americas

New York, New York 10020-1104

Tel: (212) 596-9000

PTO/SB/ 44 (10-96)
Approved for use through 6/30/99. OMB 0651-0033
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

PAGE <u>1</u> of <u>1</u>

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO

6,593,666

DATED

July 15, 2003

INVENTION(S)

: ENERGY CONVERSION SYSTEMS USING NANOMETER SCALE

ASSEMBLIES AND METHODS FOR USING SAME

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column [57], line 14, change "including, piezoelecric" to --including piezoelectric--; Column [57], line 15, change "generators, are" to --generators are--; change "tubes collide" to Column 3, line 5, --tubes to collide--; Column 8, line 63, change "constructed accordance" to --constructed in accordance--; change " $\hat{X}$ " to  $--\otimes$ --; Column 11, line 17, Column 12, lines 52-53, change "is will likely" to --it will likely--; change "and or" to --and/or--; Column 12, line 53, Column 18, claim 71, line 5, change "assemblies" to --nanometer assemblies--; and change "across 'said" to --across Column 18, claim 74, line 2, said--.

MAILING ADDRESS OF SENDER: Jeffrey D. Mullen Fish & Neave 1251 Avenue of the Americas New York, New York 10020

PATENT NO. \_\_6,593,666 B1